



# Aluseal Half-Height Shower Enclosures

When you need a shower enclosure with **style** and **performance** that will stand the test of time, Aluseal is the outstanding choice. **Robust** and **attractive** panels are encased in a choice of white or metallic finishes. Easily installed in almost any type of showering facility, the doors are available in a **wide range of sizes** and configurations.



In Our  
Element



A2  
Fire Rated



Recyclable  
Materials



Extended  
Warranty



Made in  
the UK



DDA  
Compliant

## Materials Used

Our shower doors are glazed in 3mm impact resistant PET or 4mm toughened glass. All seals are manufactured from flexible PVC, rubber or co-extruded rubber and all doors have a magnetic door closing seal.

## Dimensions

All doors are manufactured at 750mm high which is a preferred height for a carer. They are available in a wide range of sizes and configurations and can be supplied with curtain and rail. Bespoke options are available on request.

## Corner Block

Integrated corner block designed to be trimmed to suit 10mm or 38mm radius floor coverings.

## Recyclable

Our shower doors are manufactured in the UK from components that are 100% recyclable.

## Colours


They are available in a white powder coated finish as standard or Luxe polished etch bright silver.

## Door Configurations

**Twin Bi-Fold  
Corner Left Hand**




**Twin Tri-Fold  
Corner Left Hand**




**Twin Bi-Fold  
Inline entry**




**Twin Bi-Fold  
Corner Right Hand**




**Twin Bi-Fold  
Fixed Left Hand**




**Twin Tri-Fold  
Fixed Inline Entry**



**Twin Bi-Fold  
Fixed Inline Entry**



**Twin Bi-Fold  
Fixed Right Hand**



## Carer Screens

Our doors are also available as portable carer screens, providing light and easy handling. They can be folded flat for storage or transportation.




## Door Openings

Inward and outward opening doors with bi-fold action and 360° rise and fall wall hinges, which fold in and out of the shower area, leaving valuable floor space to be clear when not in use.

## Hinge System

Rise and fall hinge system lifts the doors by at least 10mm as they are opened, to prolong the life of the floor seal and make the doors easier to operate. The wiper blade and aluminium deflector ensures maximum seal between door and tray.








## Simple Lock






The doors have a watertight flip over latch which prevents accidental opening and ease of use for less dexterous hands. They are also available in blue if requested to assist the visually impaired and dementia sufferers.

## Compensator

The compensator plate can be precision-cut to accommodate Altro or similar wet-floor showers. Wall levelling compensator allows at least 25mm of adjustment for out of square walls & floors.

## Aluseal 3 Half-Height Shower Enclosures - A selection of available door options

Stock No.	Mid Size	Description
ENC001	1024mm	 Twin bi-fold corner entry half height doors. 750mm high, universal handing.
ENC002	812mm	 Twin bi-fold corner entry half height doors. 750mm high, universal handing.
ENC003	1484mm x 805mm	 Twin bi-fold inline half height doors. 750mm high, complete with full height 2045mm fixed panel and curtain track, universal handing.
ENC004L ENC004R	1461mm x 811mm	 Left hand shown. Half height fixed panel with twin bi-fold corner entry doors. Complete with curtain track, handing required.
ENC005	1494mm	 Twin inline bi-fold between walls. Complete with curtain track.

Stock No.	Mid Size	Description
ENC005MOD	1000mm (min) to 2000mm (max)	 Twin inline bi-fold between walls. Complete with curtain track.
ENC006	1220mm	 Twin bi-fold corner entry half height doors. 750mm high, universal handing.
ENC007	915mm	 Twin bi-fold half height doors. 750mm high, universal handing.
ENC008L ENC008R	1170mm x 745mm	 Left hand shown. Twin bi-fold corner entry half height doors. 750mm high, unequal size, handing required.
ENC013L ENC013R	1165mm x 811mm	 Left hand shown. Twin bi-fold corner entry half height doors. 750mm high, unequal size, handing required.

For Metallique satin finish aluminium doors please add the suffix /A.  
EG: ENC001 = white powder coated aluminium ENC001/A = satin finish aluminium.



Note: A choice of tinted or clear glass options is available on the satin finish aluminium doors. P.O.A.



- O Denotes hinge position.
- Each door has a compensation of ffl15mm.
- All neaco doors are suitable for wet floor applications. Please add WF to the model number if the door is required for a wet floor and state radius required. E.g. ENC001/WF/38.
- Where not included, curtains and curtain tracks can be supplied on request.

- When ordering made to size doors, please stipulate size after the reference number. E.g. ENC911L/1000/WF/38 would be the reference for a 1000mm (mid size) long wet floor model with a 38mm radius inline tri-fold left hand hinged.
- Wet floor door options available with two radii (20mm or 38mm).
- Doors can be precision cut to accommodate wetfloor radii at additional cost.

### Curtains & Curtain Tracks

Stock No.	Size
SC1001	3m x 2m drop 12 eyelet 4oz weighted curtain in white
CTROO1	1033mm x 1033mm universal L-shaped curtain rail in white
CTROO2	821mm x 821mm universal L-shaped curtain rail in white
CTROO3	1220mm x 1220mm universal L-shaped curtain rail in white
CTROO4	1150mm straight curtain rail in white
CROO5	2300mm straight curtain rail in white
CTROO6	U-shaped 1033mm x 1033mm x 1033mm curtain rail in white
CTR009	1500mm x 825mm L-shaped curtain rail in white

### Aluseal Carer Screens

Stock No.	Size	Height
SCR710 (Two panel) Folds flat for easy handling	 650mm x 650mm	750mm
SCR710 (Four panel) Folds flat for easy handling	 450mm x 450mm x 450mm	750mm

FINISH: Decorative translucent styrene glazing in a white powder coated aluminium alloy.

